

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Tetsuro OGAWA et al.

Group Art Unit: 1755

Appln. No. : 10/618,687

Examiner: Group

Filed : July 15, 2003

For : CaO-SiO<sub>2</sub>-BASED BIOACTIVE GLASS AND SINTERED CALCIUM  
PHOSPHATE GLASS USING SAME

**SUBMISSION OF TERMINAL DISCLAIMER**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Further to the Amendment Under 37 C.F.R. 1.114, filed December 5, 2006, Applicants are submitting herewith an executed Terminal Disclaimer to advance prosecution of the application to allowance.

In particular, in the Amendment, Applicants noted that a Terminal Disclaimer was being prepared for filing. Thus, Applicants submit herewith an executed Terminal Disclaimer to advance prosecution of the application to allowance. This Terminal Disclaimer is being presented without expressing agreement or acquiescence with the rejection of record, and is merely being filed to advance prosecution of the application to allowance.

Authorization is hereby provided to charge any fee necessary for consideration or entry of this paper and/or the Terminal Disclaimer to Deposit Account No. 19-0089.

### CONCLUSION


In view of the foregoing, the Examiner is respectfully requested to reconsider and withdraw the rejections of record, and allow each of the pending claims.

Applicants therefore respectfully request that an early indication of allowance of the application be indicated by the mailing of the Notices of Allowance and Allowability.

Should the Examiner have any questions regarding this application, the Examiner is invited to contact the undersigned at the below-listed telephone number.

January 2, 2007  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

Respectfully submitted,  
Tetsuro OGAWA et al.



Bruce M. Bernstein  
Reg. No. 29,027

Arnold Turk  
Reg. No. 33094